



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.
Port of Spain.....	May 4	60,000	49	8									2
Prague.....	do	225,817	78	17						1			2
Rangoon.....	Apr. 13	293,316	156	9	7	5		15					
Rio de Janeiro.....	do	921,987	354	67								1	1
Do.....	Apr. 20		333	57			1			1			2
Do.....	Apr. 27		383	70						1		1	3
Saigon.....	Apr. 15	220,000	26		2	24							
Do.....	Apr. 22		61		5	56							
San Luis Potosi.....	Mar. 23	82,496	54	6				1		2		1	
Sheffield.....	May 4	455,000	121	16						1			
Do.....	May 11		123	12									
Singapore.....	Apr. 13	303,328	224	27	2								
Smyna.....	do	400,000		8									
Do.....	Apr. 20			6					1	3	1	2	
Do.....	Apr. 27			10					1			5	
Do.....	May 4			5					1	3		2	
Southampton.....	May 11	120,896	36	3									1
Stockholm.....	Apr. 27	346,599	100	21									9
Do.....	May 4		108	24								2	3
Stoke-on-Trent.....	May 11	237,153	80	5						1			1
Tapachula.....	Mar. 7	25,000	33	2				1					1
Do.....	Mar. 23		30	1									3
Do.....	Mar. 31		25	2									2
Tientsin.....	Apr. 27	465,000	32	8							1	1	
Trieste.....	May 4	235,999	93										2
Tripoli.....	May 5		48	3					1	3			
Turin.....	May 12	430,770	140	6								2	1
Valencia.....	May 11	235,000	97	8				2				1	
Vienna.....	Apr. 27	2,081,335	709	128							7	8	9
Vigo.....	May 4	41,500	19	3								1	
Warsaw.....	Mar. 23	97,093	256	32				4		2	1		1
Do.....	Mar. 30		232	31				3		2	3	1	3
Winnipeg.....	May 18	151,958	34	3							1		1
Yokohama.....	Apr. 29	444,039										1	

## MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES (Untabulated).

ARGENTINA—*Rosario*.—Month of February, 1912. Population 210,735. Total number of deaths from all causes 376, including diphtheria 8, smallpox 1, tuberculosis 38, typhoid fever 19. Remarks: Typhoid fever epidemic.

FRANCE—*Marseille*.—Month of April, 1912. Population 550,619. Total number of deaths from all causes 844, including diphtheria 4, measles 1, smallpox 2, tuberculosis 150, typhoid fever 8.

GERMANY—*Strassburg*.—March, 1912. Population 182,426. Total number of deaths from all causes 262, including diphtheria 6, measles 2, scarlet fever 3, tuberculosis 23, typhoid fever 2.

GREAT BRITAIN.—Week ended May 4, 1912.

*England and Wales*.—The deaths registered in 95 great towns correspond to an annual rate of 13.9 per 1,000 of the population, which is estimated at 17,639,816.

*Ireland.*—The deaths registered in 21 principal town districts correspond to an annual rate of 20.2 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Armagh, viz, 6.9, and the highest at Newtownards, viz, 34.3 per 1,000.

*Scotland.*—The deaths registered in 18 principal towns correspond to an annual rate of 15.6 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Falkirk, viz, 9.2, and the highest at Greenock, viz, 19.9 per 1,000. The total number of deaths from all causes was 652, including diphtheria 4, measles 49, scarlet fever 3.

*SIAM—Bangkok.*—Four weeks ended April 20, 1912. Population 600,000. The deaths include cholera 531, plague 3, smallpox 106.

*SPAIN—Cadiz.*—Month of April, 1912. Population 67,306. Total number of deaths from all causes 183, including diphtheria 2, measles 3, smallpox 2, tuberculosis 20.

*Huelva.*—Month of March, 1912. Population 28,982. Total number of deaths from all causes 125, including measles 37, tuberculosis 9.

*TRIPOLI—Tripoli.*—Two weeks ended April 28, 1912. Population 50,000. Total number of deaths from all causes 106, including tuberculosis 6, typhoid fever 12, typhus fever 9.

By authority of the Secretary of the Treasury:

RUPERT BLUE,  
Surgeon General,

*United States Public Health and Marine-Hospital Service.*

---

ADDITIONAL COPIES of this publication  
may be procured from the SUPERINTEND-  
ENT OF DOCUMENTS, Government Printing  
Office, Washington, D. C., at 5 cents per copy.  
Subscription price, per volume - - - \$2

---

